

ARG20754 Goat IgG Fab Isotype Control antibody

Package: 1 mg Store at: -20°C

Summary


| Product Description | Goat Polyclonal antibody as a negative control antibody for Goat IgG Fab | |
|---------------------|--|--|
| Tested Application | ELISA | |
| Host | Goat | |
| Clonality | Polyclonal | |
| Isotype | IgG | |
| Target Name | Goat IgG Fab | |
| Conjugation | Un-conjugated | |
| | | |

Application Instructions

| Application table | Application | Dilution |
|-------------------|--|-----------|
| | ELISA | < 2 µg/ml |
| Application Note | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. | |

Properties

| Form | Liquid |
|---------------------|---|
| Purification | Purified |
| Buffer | BBS (pH 8.2) |
| Concentration | 2.5 mg/ml |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note | For laboratory research only, not for drug, diagnostic or other use. |



ARG20754 Goat IgG Fab Isotype Control antibody ELISA image

ELISA: The plate was coated with serially diluted ARG20754 Goat IgG Fab Isotype Control antibody. Immunoglobulin was detected with Rabbit anti-Goat IgG Fc-BIOT and Rabbit anti-Goat IgG (Fab) antibody (Biotin) followed by <u>ARG23912</u> Streptavidin (HRP) and quantified.