

Summary

## ARG21076 anti-MHC Class I H2 Kd + H2 Dd antibody [34-1-2S]

Package: 100 μg Store at: -20°C

Product Description	Mouse Monoclonal antibody [34-1-2S] recognizes MHC Class I H2 Kd + H2 Dd
Tested Reactivity	Ms
Tested Application	BL, EM, FACS, ICC/IF, IP
Specificity	Mouse H-2Kd/H-2Dd. The clone 34-1-2S binds to a common determinant in the $\alpha$ 3 domains of H-2Kd and H-2Dd in the presence or absence of $\beta$ 2 microglobulin. It cross reacts with the $\alpha$ 3 domain of H-2Kb.
Host	Mouse
Clonality	Monoclonal
Clone	34-1-2S
lsotype	lgG2a, kappa
Target Name	MHC Class I H2 Kd + H2 Dd
Species	Mouse
Immunogen	BDF1 mouse splenocytes
Conjugation	Un-conjugated
Alternate Names	K-f; B; H-2 class I histocompatibility antigen, K-B alpha chain; H-2K; H-2K(d); H2-K

## **Application Instructions**

Application table	Application	Dilution
	BL	Assay-dependent
	EM	Assay-dependent
	FACS	< 1 µg/10^6 cells
	ICC/IF	Assay-dependent
	IP	Assay-dependent
Application Note	* The dilutions indicate should be determined b	recommended starting dilutions and the optimal dilutions or concentrations by the scientist.

## **Properties**

Form	Liquid
Buffer	BBS (pH 8.2)
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

## Bioinformation

Database links	GenelD: 14972 Mouse
	Swiss-port # P01901 Mouse
Gene Symbol	Н2-К1
Gene Full Name	histocompatibility 2, K1, K region
Function	Involved in the presentation of foreign antigens to the immune system. [UniProt]
Calculated Mw	41 kDa