

Product datasheet

info@arigobio.com

ARG21077 anti-MHC Class I H2 Kd + H2 Dd antibody [34-1-2S] (FITC)

Package: 100 μg Store at: 4°C

Summary

Product Description FITC-conjugated Mouse Monoclonal antibody [34-1-2S] recognizes MHC Class I H2 Kd + H2 Dd

Tested Reactivity Ms

Tested Application BL, EM, FACS, ICC/IF

Specificity Mouse H-2Kd/H-2Dd. The clone 34-1-2S binds to a common determinant in the α 3 domains of H-2Kd

and H-2Dd in the presence or absence of β 2 microglobulin. It cross reacts with the α 3 domain of H-2Kb.

Host Mouse

Clonality Monoclonal

Clone 34-1-2S

Isotype IgG2a, kappa

Target Name MHC Class I H2 Kd + H2 Dd

Species Mouse

Immunogen BDF1 mouse splenocytes

Conjugation FITC

Alternate Names K-f; B; H-2 class I histocompatibility antigen, K-B alpha chain; H-2K; H-2K(d); H2-K

Application Instructions

| Application table | Application | Dilution |
|-------------------|--|-------------------|
| | BL | Assay-dependent |
| | EM | Assay-dependent |
| | FACS | < 1 μg/10^6 cells |
| | ICC/IF | Assay-dependent |
| Application Note | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. | |

Properties

Form Liquid

Buffer PBS and 0.1% Sodium azide.

Preservative 0.1% Sodium azide

Concentration 0.5 mg/ml

Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Bioinformation

Database links <u>GeneID: 14972 Mouse</u>

Swiss-port # P01901 Mouse

Gene Symbol H2-K1

Gene Full Name histocompatibility 2, K1, K region

Function Involved in the presentation of foreign antigens to the immune system. [UniProt]

Calculated Mw 41 kDa