

ARG21430 anti-IFN gamma antibody [B27] (PE)

Package: 50 tests

Store at: 4°C

Summary

Product Description	PE-conjugated Mouse Monoclonal antibody [B27] recognizes IFN gamma
Tested Reactivity	Hu, AGMK, Chimp, Macaq, R. Mk
Tested Application	ELISA, ELISPOT, ELISPOT, FACS, ICC/IF, IHC-Fr, Neut
Specificity	Human/Rhesus/Cynomolgus/Chimpanzee/Pigtail Macaque/African Green Monkey/Sooty Mangabey IFN- γ .
Host	Mouse
Clonality	Monoclonal
Clone	B27
Isotype	IgG1, kappa
Target Name	IFN gamma
Antigen Species	Human
Immunogen	E. coli-expressed human IFN- γ
Conjugation	PE
Alternate Names	IFN-gamma; Interferon gamma; Immune interferon; IFG; IFI

Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	ELISPOT	Assay-dependent
	ELISPOT	Assay-dependent
	FACS	10 μ l/10 ⁶ cells
	ICC/IF	Assay-dependent
	IHC-Fr	Assay-dependent
	Neut	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Calculated Mw	19 kDa	

Properties

Form	Liquid
Buffer	PBS, Sodium azide and a stabilizing agent

Preservative	Sodium azide
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links	GeneID: 3458 Human Swiss-port # P01579 Human
Gene Symbol	IFNG
Gene Full Name	interferon, gamma
Background	This gene encodes a soluble cytokine that is a member of the type II interferon class. The encoded protein is secreted by cells of the both the innate and adaptive immune systems. The active protein is a homodimer that binds to the interferon gamma receptor which triggers a cellular response to viral and microbial infections. Mutations in this gene are associated with an increased susceptibility to viral, bacterial and parasitic infections and to several autoimmune diseases. [provided by RefSeq, Sep 2015]
Function	Produced by lymphocytes activated by specific antigens or mitogens. IFN-gamma, in addition to having antiviral activity, has important immunoregulatory functions. It is a potent activator of macrophages, it has antiproliferative effects on transformed cells and it can potentiate the antiviral and antitumor effects of the type I interferons. [UniProt]