

## **Product datasheet**

info@arigobio.com

# ARG21926 Goat anti-Horse IgG (H+L) antibody

Package: 1 mg Store at: -20°C

#### **Summary**

Product Description Goat Polyclonal antibody recognizes Horse IgG (H+L)

Tested Reactivity Hrs

Tested Application ELISA, FACS, FLISA, ICC/IF, WB

Specificity Reacts with the heavy and light chains of Horse IgG

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name IgG (H+L)
Species Horse

Conjugation Un-conjugated

### **Application Instructions**

| Application table | Application  | Dilution        |
|-------------------|--|-----------------|
|                   | ELISA  | Assay-dependent |
|                   | FACS   | Assay-dependent |
|                   | FLISA  | Assay-dependent |
|                   | ICC/IF   | Assay-dependent |
|                   | WB   | Assay-dependent |
| Application Note  | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. |                 |

#### **Properties**

| Form                | Liquid  |  |
|---------------------|---|--|
| Purification        | Affinity purification with immunogen.   |  |
| Buffer              | BBS (pH 8.2)  |  |
| Concentration       | 1 mg/ml   |  |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |  |
| Note                | For laboratory research only, not for drug, diagnostic or other use.  |  |