

Product datasheet

info@arigobio.com

ARG22771 anti-MHC Class II RT1B antibody [OX-6] (FITC)

Package: 50 μg Store at: 4°C

Summary

Product Description FITC-conjugated Mouse Monoclonal antibody [OX-6] recognizes MHC Class II RT1B

This antibody recognizes a monomorphic determinant of the Rat RT1B MHC class II antigen present on

B lymphocytes, dendritic cells, some macrophages and certain epithelial cells.

Rat MHC Class II RT1B antibody, clone OX-6 does not react with the Rat BDIX strain due to a defect in

RT1B expression (Male et al. 1987).

The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In rats, this complex is referred to as the RT1 region. In mice, this complex is

referred to as the H-2 region.

Mouse anti Rat MHC Class II RT1B antibody, clone OX-6 also cross reacts with a polymorphic

determinant on mouse strains of the H-2 haplotypes k and s. Analysis of recombinant mouse strains has mapped the OX-6 determinant to the H-2l-A region (McMaster and Williams 1979 and Male et al.

1987).

This product is routinely tested in flow cytometry on Rat splenocytes.

Tested Reactivity Ms, Rat

Tested Application FACS

Host Mouse

Clonality Monoclonal

Clone OX-6

Isotype IgG1

Target Name MHC Class II RT1B

Species Rat

Immunogen Rat thymocyte membrane glycoproteins.

Conjugation FITC

Application Instructions

Application table	Application	Dilution
	FACS	Neat - 1:10
Application Note	FACS: Use 10 μ l of the suggested working dilution to label 10^6 cells in 100 μ l.	

st The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Properties

Form Liquid

Purification Purification with Protein G.

Buffer PBS, 0.09% Sodium azide and 1% BSA.

Preservative 0.09% Sodium azide

Stabilizer 1% BSA

Concentration 0.1 mg/ml


Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Images



ARG22771 anti-MHC Class II RT1B antibody [OX-6] (FITC) FACS image

Flow Cytometry: Rat spleen cells stained with ARG22771 anti-MHC Class II RT1B antibody [OX-6] (FITC).