

ARG22823 anti-CD52 antibody [YTH34.5]

Package: 100 μg Store at: -20°C

Summary Product Description Rat Monoclonal antibody [YTH34.5] recognizes CD52 Rat anti Human CD52 antibody, clone YTH34.5 reacts with the human CD52 antigen, also known as CAMPATH-1. The CD52 antigen is a remarkably small but heavily glycosylated peptide attached to the cell surface membrane via a GPI link (Xia et al. 1991). The apparent molecular mass of the native antigen on SDS-PAGE is 25-29kDa, considerably reduced following N-glycanase treatment (Rowan et al. 1998).CD52 is expressed at high density by lymphocytes, monocytes, eosinophils, thymocytes and macrophages. It is expressed by most lymphoid derived malignancies, although expression on myeloma cells is variable.Humanised versions of CAMPATH-1 specific antibodies are currently in clinical trials for the treatment of a range of lymphoid malignancies (Dearden et al. 2002; Pettitt et al. 2012). **Tested Reactivity** Hu, R. Mk **Tested Application** ELISA, FACS, IHC-Fr, IHC-P, IHC-R, IP, WB Host Rat Clonality Monoclonal

Clone	YTH34.5
Isotype	lgG2b
Target Name	CD52
Species	Human
Immunogen	Human lymphocytes.
Conjugation	Un-conjugated
Alternate Names	He5; CAMPATH-1 antigen; Human epididymis-specific protein 5; Cambridge pathology 1 antigen; CDw52; Epididymal secretory protein E5; CDW52; CD antigen CD52

Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	FACS	1:20
	IHC-Fr	1:20
	IHC-P	1:20 - 1:40
	IHC-R	Assay-dependent
	IP	Assay-dependent
	WB	Assay-dependent
Application Note		suggested working dilution to label 10^6 cells in 100 μl. e recommended starting dilutions and the optimal dilutions or concentrations by the scientist.

Properties

Form	Liquid
Purification	Purification with Protein A.
Buffer	PBS and 0.09% Sodium azide
Preservative	0.09% Sodium azide
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	CD52
Gene Full Name	CD52 molecule
Function	May play a role in carrying and orienting carbohydrate, as well as having a more specific role. [UniProt]
Calculated Mw	7 kDa