

ARG23817 Goat anti-Rat Ig antibody (Texas Red), pre-adsorbed

Package: 500 µg
Store at: 4°C

Summary

| | |
|---------------------|--|
| Product Description | Texas Red-conjugated Goat Polyclonal antibody recognizes Rat Ig |
| Tested Reactivity | Rat |
| Tested Application | ELISA, FACS, FLISA, ICC/IF, IHC-Fr, WB |
| Specificity | Reacts with the heavy and light chains of rat IgM and IgG as demonstrated by ELISA, FLISA, and/or flow cytometry. Minimal cross reactivity with mouse immunoglobulins. May react with other species. |
| Host | Goat |
| Clonality | Polyclonal |
| Isotype | IgG |
| Target Name | Ig |
| Species | Rat |
| Conjugation | Texas Red |

Application Instructions

| Pre Adsorbed | Mouse immunoglobulins and pooled sera. | |
|-------------------|--|-----------------|
| Application table | Application | Dilution |
| | ELISA | Assay-dependent |
| | FACS | Assay-dependent |
| | FLISA | 1:100 - 1:400 |
| | ICC/IF | Assay-dependent |
| | IHC-Fr | Assay-dependent |
| | WB | Assay-dependent |
| Application Note | * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist. | |

Properties

| | |
|---------------------|---|
| Form | Liquid |
| Purification | Affinity purification with immunogen. |
| Buffer | PBS and 0.1% Sodium azide. |
| Preservative | 0.1% Sodium azide |
| Concentration | 1 mg/ml |
| Storage instruction | Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be |

gently mixed before use.

Note

For laboratory research only, not for drug, diagnostic or other use.