

Product datasheet

info@arigobio.com

ARG30340 Senescence Marker Antibody Panel Package: 1 kit Store at: -20°C

Component

Cat. No.	Component Name	Host clonality	Reactivity	Application	Package
ARG42668	anti-CDKN2A / p16INK4a antibody	Rabbit pAb	Hu, Ms, Rat	ICC/IF, IP, WB	20 μΙ
ARG51632	anti-Rb1 / Retinoblastoma protein phospho (Ser807) antibody	Rabbit pAb	Hu, Ms, Rat	IHC-P, WB	20 μΙ
ARG10519	anti-p53 antibody [Pab1801]	Mouse mAb	Hu, Ms, Rat	ChIP, ELISA, FACS, ICC/IF, IHC-Fr, IHC-P, IP, RIA, WB	20 μg
ARG57928	anti-p21 antibody	Rabbit pAb	Hu, Ms, Rat	ICC/IF, WB	20 μΙ

Summary

Product Description

Senescence Marker Antibody Panel is an all-in-one solution to make senescence research easy and economic. The hallmark of senescence is cell cycle arrest. This antibody panel comprises antibodies for detecting senescence-associated cell cycle arrest including p16 INK4a-Rb and p53-p21 pathways. It is the best solution to study senescence and cell cycle arrest in human, mouse, and rat samples.

Related news:

Senescence Marker Antibody Panel is launched

Examining RSL3-induced activation of Keap1-Nrf2-ARE pathway:

For laboratory research only, not for drug, diagnostic or other use.

Target Name Senescence Marker

Properties

Note

Storage instruction

For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.


belove use.

Bioinformation

Highlight Related products:

anti-CDKN2A / p16INK4a antibody;

anti-p53 antibody;
Senescence antibodies;
Senescence ELISA Kits;
Senescence Duos / Panels;




ARG42668 anti-CDKN2A / p16INK4a antibody ICC/IF image

Immunofluorescence: C6 cells stained with ARG42668 anti-CDKN2A $\!\!\!/$ p16INK4a antibody at 1:100 dilution.




ARG42668 anti-CDKN2A / p16INK4a antibody WB image

Western blot: 25 μg of 293T cell lysate stained with ARG42668 anti-CDKN2A / p16INK4a antibody.




ARG42668 anti-CDKN2A / p16INK4a antibody IP image

Immunoprecipitation: 200 μg extracts of 293T cells were immunoprecipitated and stained with ARG42668 anti-CDKN2A / p16INK4a antibody at 1:1000 dilution.




ARG51632 anti-Rb1 / Retinoblastoma protein phospho (Ser807) antibody WB image

Western blot: Extracts from 3T3 cells untreated or treated with UV stained with ARG51632 anti-Rb1 / Retinoblastoma protein phospho (Ser807) antibody.




ARG51632 anti-Rb1 / Retinoblastoma protein phospho (Ser807) antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human breast carcinoma tissue stained with ARG51632 anti-Rb1 / Retinoblastoma protein phospho (Ser807) antibody (left) or the same antibody preincubated with blocking peptide (right).




ARG10519 anti-p53 antibody [Pab1801] WB image

Western blot: 20 μ g of HCT 116 and LoVo cell lysates stained with ARG10519 anti-p53 antibody [Pab1801] at 1:1000 dilution, overnight at 4°C.




ARG10519 anti-p53 antibody [Pab1801] WB image

Western blot: $30~\mu g$ of 293T and MDAMB231 cell lysates stained with ARG10519 anti-p53 antibody [Pab1801] at 1:500 dilution.




ARG10519 anti-p53 antibody [Pab1801] WB image

Western blot: $20~\mu g$ of 293T cell lysate stained with ARG10519 anti-p53 antibody [Pab1801] at 1:500 dilution.




ARG10519 anti-p53 antibody [Pab1801] WB image

Western blot: 20 μg of Mouse brain and Rat brain lysates stained with ARG10519 anti-p53 antibody [Pab1801] at 2 $\mu g/ml$ dilution.



ARG57928 anti-p21 antibody ICC/IF image

Immunofluorescence: HeLa cells stained with ARG57928 anti-p21 antibody at 1:100 dilution.



ARG57928 anti-p21 antibody WB image

Western blot: 25 μg of Mouse heart lysate stained with ARG57928 anti-p21 antibody at 1:1000 dilution.