

Product datasheet

info@arigobio.com

ARG42426 anti-TSPAN7 antibody [B2D]

Package: 100 μg Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [B2D] recognizes TSPAN7

Tested Reactivity Hu

Tested Application FACS, IHC-P, IP, WB

Specificity The mouse monoclonal antibody B2D recognizes an extracellular epitope of CD231 (TALLA-1,

tetraspanin 7), a transmembrane glycoprotein expressed in neuronal tissue and T-ALL.

Host Mouse

Monoclonal Clonality

Clone B2D Isotype lgG1

Target Name TSPAN7 **Species** Human

Immunogen Human T-ALL cell line THP-6.

Conjugation Un-conjugated

Alternate Names A15; CCG-B7; Tetraspanin-7; Transmembrane 4 superfamily member 2; CD antigen CD231; TM4SF2;

Tspan-7; Cell surface glycoprotein A15; TM4SF2b; CD231; DXS1692E; Membrane component

chromosome X surface marker 1; T-cell acute lymphoblastic leukemia-associated antigen 1; TALLA-1;

MRX58; MXS1

Application Instructions

Application table	Application	Dilution
	FACS	1 - 4 μg/ml
	IHC-P	1 - 4 μg/ml
	IP	Assay-dependent
	WB	Assay-dependent
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Purification with Protein A.

Buffer PBS and 15 mM Sodium azide.

15 mM Sodium azide Preservative

Concentration 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol TSPAN7

Gene Full Name tetraspanin 7

Background The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the

tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein and may have a role in the control of neurite outgrowth. It is known to complex with integrins. This gene is associated with X-linked cognitive disability and neuropsychiatric diseases such as Huntington's chorea, fragile X syndrome and myotonic dystrophy. [provided by RefSeq, Jul


2008]

Function May be involved in cell proliferation and cell motility. [UniProt]

Calculated Mw 28 kDa

Cellular Localization Membrane; Multi-pass membrane protein. [UniProt]

Images



ARG42426 anti-TSPAN7 antibody [B2D] FACS image

Flow Cytometry: Jurkat cells stained with ARG42426 anti-TSPAN7 antibody [B2D], followed by APC-conjugated Goat anti-Mouse antibody.