

# Product datasheet

info@arigobio.com

# ARG43726 anti-SARS-CoV-2 ORF3b antibody

Package: 100 μg Store at: -20°C

# **Summary**

Product Description Rabbit Polyclonal antibody recognizesSARS-CoV-2 ORF3b

Tested Reactivity Virus

Tested Application ELISA, IHC-P, WB

Specificity ORF3b Antibody is predicted to not cross-react with other coronavirus family members.

Host Rabbit

**Clonality** Polyclonal

Isotype IgG

Target Name SARS-CoV-2 ORF3b

Species Virus

Immunogen Synthetic peptide corresponding to 16 amino acids near the central domain of SARS-CoV-2 (COVID-19)

ORF3b protein.

The immunogen is located within 30-80 amino acids of the SARS-CoV-2 (COVID-19) ORF3b protein.

Conjugation Un-conjugated

Alternate Names ORF3b protein, Acessary protein 3b, ns3b, Non-structural protein 3b, ORF3b

# **Application Instructions**

Application table	Application	Dilution
	ELISA	detect 2 ng of free peptide at 1 µg/mL
	IHC-P	0.5 μg/mL
	WB	0.25 μg/mL
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

# **Properties**

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS and 0.02% Sodium azide.

Preservative 0.02% Sodium azide

Concentration 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

www.arigobio.com arigo.nuts about antibodies 1/3

ORF3b

For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Gene Symbol

Gene Full Name SARS-CoV-2 ORF3b

Background Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an

infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus. The disease is the cause of the 2019–20 coronavirus outbreak. SARS-CoV-2 virus proteins include structural proteins, non-structural proteins and accessory factors. The structure of SARS-CoV-2 consists of the following: a spike protein (S), hemagglutinin-esterease dimer (HE), a membrane glycoprotein (M), an envelope protein (E) a nucleoclapid protein (N) and RNA. SARS-CoV-2 non-structural protein is ORF1ab that consists of 16 proteins (nsp1-nsp16), while accessory factors include ORF3a, ORF3b, ORF6, ORF7a, ORF7b, ORF3b,

ORF9b, ORF9c and ORF10. ORF3b may play a role in interferon antiviral system evasion.

Highlight Related products:


SARS-CoV antibodies; SARS-CoV ELISA Kits; SARS-CoV recombinant proteins; Anti-Rabbit IgG

secondary antibodies;

Related news:


HMGB1, a biomarker and therapeutic target in COVID-19

# **Images**




#### ARG43726 anti-SARS-CoV-2 ORF3b antibody IHC-P image

Immunohistochemistry: Paraffin-embedded COVID-19 patient lung tissue (left) or health control (right) lung tissue were fixed with formaldehyde and blocked with 10% serum for 1 hour at RT. Antigen Retrieval: Heat mediation was performed in Citrate buffer (pH 6.0). The tissue section was stained with ARG43726 anti-SARS-CoV-2 ORF3b antibody at 0.5  $\mu g/mL$  dilution, overnight at 4°C. Counter stained with Hematoxylin.



### ARG43726 anti-SARS-CoV-2 ORF3b antibody WB image

Western blot: 30 ng of SARS-CoV-2 ORF3b recombinant protein stained with ARG43726 anti-SARS-CoV-2 ORF3b antibody for 1 hour incubation at RT in 5% NFDM/TBST, at 0.25  $\mu g/ml$  (left) or 0.5  $\mu g/ml$  (right) dilution.



# ARG43726 anti-SARS-CoV-2 ORF3b antibody ELISA image

Direct ELISA: SARS-CoV-2 ORF3b rprotein was coated on the plate and ARG43726 anti-SARS-CoV-2 ORF3b antibody was used as the capture antibody. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:20000 dilution. Detection range is from 1 ng/mL to 3000 ng/mL