ARG46800
anti-Asense antibody

Package: 100 µg, µg
Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes Asense
Tested Reactivity	Dm
Tested Application	ICC/IF, WB
Specificity	Detects endogenous levels of Asense by IF.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	Asense
Immunogen	Purified recombinant peptide derived from within residues 254 aa to the C-terminus of Asense produced in E. coli.
Conjugation	Un-conjugated
Alternate Names	AS-C T8, AS-C T8ase, as-T8, AS-T8, ASC, ascT8, Ase, bHLHc28, CG3258; Dmel\CG3258, EG:165H7.2, sc/T8, T1, T1a, T1A, T8

Application Instructions

Application table

Application	Dilution
ICC/IF	1:100 - 1:1000
WB	1:500 - 1:2000

Application Note: * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.


Properties

Form	Liquid
Purification	Epitope affinity purified
Buffer	PBS, 0.05% Sodium azide and 20% Glycerol.
Preservative	0.05% Sodium azide
Stabilizer	20% Glycerol
Concentration	3 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation


Background	Asense protein is a Drosophila neural precursor gene that is capable of initiating sense organ formation.

Images




ARG46800 anti-Asense antibody ICC/IF image

Immunofluorescence: fly cells stained with ARG46800 anti-Asense antibody at 1:1000 dilution.




ARG46800 anti-Asense antibody ICC/IF image

Immunofluorescence: fly cells stained with ARG46800 anti-Asense antibody at 1:1000 dilution.



ARG46800 anti-Asense antibody ICC/IF image

Immunofluorescence: fly cells stained with ARG46800 anti-Asense antibody at 1:1000 dilution.



ARG46800 anti-Asense antibody WB image

Western blot: GST-Asense C-Term stained with ARG46800 anti-Asense antibody at 1:1000 dilution.