

ARG51662 anti-Hsp 27 phospho (Ser15) antibody

Package: 100 µl, 50 µl
Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizes Hsp 27 phospho (Ser15)
Tested Reactivity	Hu
Tested Application	ICC/IF, IHC-P, WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	Hsp 27
Species	Human
Immunogen	Peptide sequence around phosphorylation site of serine15 (G-P-S(p)-W-D) derived from Human Hsp27.
Conjugation	Un-conjugated
Alternate Names	HSP 27; Heat shock 27 kDa protein; HMN2B; HS.76067; SRP27; HEL-S-102; HspB1; CMT2F; 28 kDa heat shock protein; HSP27; Heat shock protein beta-1; Hsp25; Estrogen-regulated 24 kDa protein; Stress-responsive protein 27; HSP28

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:100 - 1:200
	IHC-P	1:50 - 1:100
	WB	1:500 - 1:1000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid
Purification	Antibodies were produced by immunizing rabbits with KLH-conjugated synthetic phosphopeptide. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. In addition, non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.
Buffer	PBS (without Mg ²⁺ and Ca ²⁺ , pH 7.4), 150mM NaCl, 0.02% Sodium azide and 50% Glycerol.
Preservative	0.02% Sodium azide
Stabilizer	50% Glycerol
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.


Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation


Database links	GeneID: 3315 Human Swiss-port # P04792 Human
Gene Symbol	HSPB1
Gene Full Name	heat shock 27kDa protein 1
Background	Involved in stress resistance and actin organization.
Function	Involved in stress resistance and actin organization. [UniProt]
Research Area	Cancer antibody; Cell Biology and Cellular Response antibody; Signaling Transduction antibody
Calculated Mw	23 kDa
PTM	Phosphorylated upon exposure to protein kinase C activators and heat shock (PubMed:8325890). Phosphorylation by MAPKAPK2 and MAPKAPK3 in response to stress dissociates HSPB1 from large small heat-shock protein (sHsps) oligomers and impairs its chaperone activity and ability to protect against oxidative stress effectively. Phosphorylation by MAPKAPK5 in response to PKA stimulation induces F-actin rearrangement (PubMed:1332886, PubMed:8093612, PubMed:19166925).

Images




ARG51662 anti-Hsp 27 phospho (Ser15) antibody ICC/IF image

Immunofluorescence: Methanol-fixed HeLa cells stained with ARG51662 anti-Hsp 27 phospho (Ser15) antibody.




ARG51662 anti-Hsp 27 phospho (Ser15) antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human breast carcinoma tissue stained with ARG51662 anti-Hsp 27 phospho (Ser15) antibody (left) or the same antibody preincubated with blocking peptide (right).



ARG51662 anti-Hsp 27 phospho (Ser15) antibody WB image

Western blot: Extracts from HeLa cells untreated or treated with UV stained with ARG51662 anti-Hsp 27 phospho (Ser15) antibody.



ARG51662 anti-Hsp 27 phospho (Ser15) antibody WB image

Western blot: Extracts from HeLa cells, treated with Anisomycin or calf intestinal phosphatase (CIP), stained with ARG51662 anti-Hsp 27 phospho (Ser15) antibody.