

Product datasheet

info@arigobio.com

ARG55298 anti-CAPZB antibody

Package: 100 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes CAPZB

Tested Reactivity Hu, Ms, Rat
Tested Application ICC/IF, WB
Host Rabbit
Clonality Polyclonal
Isotype IgG

Target Name CAPZB
Species Human

Immunogen Recombinant protein of Human CAPZB

Conjugation Un-conjugated

Alternate Names CapZ beta; F-actin-capping protein subunit beta; CAPZ; CAPB; CAPPB

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	Rat small intestine, Mouse spleen and A431	
Observed Size	~ 31 kDa	

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol CAPZB

Gene Full Name capping protein (actin filament) muscle Z-line, beta

Background This gene encodes the beta subunit of the barbed-end actin binding protein, which belongs to the F-actin

capping protein family. The capping protein is a heterodimeric actin capping protein that blocks actin filament assembly and disassembly at the fast growing (barbed) filament ends and functions in regulating actin filament dynamics as well as in stabilizing actin filament lengths in muscle and nonmuscle cells. A pseudogene of this gene is located on the long arm of chromosome 2. Multiple alternatively spliced transcript variants encoding different isoforms have been found.[provided by RefSeq, Aug 2013]

F-actin-capping proteins bind in a Ca(2+)-independent manner to the fast growing ends of actin filaments (barbed end) thereby blocking the exchange of subunits at these ends. Unlike other capping proteins (such as gelsolin and severin), these proteins do not sever actin filaments. Plays a role in the regulation of


cell morphology and cytoskeletal organization. [UniProt]

Research Area Signaling Transduction antibody

Calculated Mw 31 kDa


Images

Function




ARG55298 anti-CAPZB antibody ICC/IF image

Immunofluorescence: U2OS cells stained with ARG55298 anti-CAPZB antibody at $1:100\ dilution$.



ARG55298 anti-CAPZB antibody WB image

Western blot: 25 μg of A431 cell lysate stained with ARG55298 anti-CAPZB antibody at 1:1000 dilution.



ARG55298 anti-CAPZB antibody WB image

Western blot: 25 μg of Rat small intestine and Mouse spleen lysates stained with ARG55298 anti-CAPZB antibody at 1:1000 dilution.