

Product datasheet

info@arigobio.com

ARG55975 anti-CD45RB antibody [PD7/26]

Package: 50 μg Store at: -20°C

Summary

Product Description Mouse Monoclonal antibody [PD7/26] recognizes CD45RB

Tested Reactivity Hu

Tested Application FACS, ICC/IF, IHC-P, WB

Host Mouse

Clone PD7/26

Isotype IgG1, kappa

Target Name CD45RB Species Human

Immunogen Human peripheral blood lymphocytes maintained in T cell growth factor.

Conjugation Un-conjugated

Alternate Names LY5; GP180; Receptor-type tyrosine-protein phosphatase C; CD45; L-CA; CD antigen CD45; Leukocyte

common antigen; CD45R; LCA; T200; EC 3.1.3.48; B220

Application Instructions

Application table	Application	Dilution
	FACS	0.5 - 1 μg/10^6 cells
	ICC/IF	0.5 - 1 μg/ml
	IHC-P	0.5 - 1.0 μg/ml
	WB	0.5 - 1 μg/ml
Application Note	Antigen retrieval for IHC-P: Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min. * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form	Liquid	
Purification	Purification with Protein G.	
Buffer	PBS (pH 7.4), 0.05% Sodium azide and 0.1 mg/ml BSA	
Preservative	0.05% Sodium azide	
Stabilizer	0.1 mg/ml BSA	

Concentration 0.2 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 5788 Human

Swiss-port # P08575 Human

Gene Symbol PTPRC

Gene Full Name protein tyrosine phosphatase, receptor type, C

Background CD45 is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling

molecules that regulate a variety of cellular processes including cell growth, differentiation, mitosis, and oncogenic transformation. This PTP contains an extracellular domain, a single transmembrane segment and two tandem intracytoplasmic catalytic domains, and thus is classified as a receptor type PTP. This PTP has been shown to be an essential regulator of T- and B-cell antigen receptor signaling. It functions through either direct interaction with components of the antigen receptor complexes, or by activating various Src family kinases required for the antigen receptor signaling. This PTP also suppresses JAK kinases, and thus functions as a regulator of cytokine receptor signaling. Alternatively

spliced transcripts variants of this gene, which encode distinct isoforms, have been reported. [provided

by RefSeq, Jun 2012]

Function CD45: Protein tyrosine-protein phosphatase required for T-cell activation through the antigen receptor.

Acts as a positive regulator of T-cell coactivation upon binding to DPP4. The first PTPase domain has enzymatic activity, while the second one seems to affect the substrate specificity of the first one. Upon T-cell activation, recruits and dephosphorylates SKAP1 and FYN. Dephosphorylates LYN, and thereby

modulates LYN activity.

(Microbial infection) Acts as a receptor for human cytomegalovirus protein UL11 and mediates binding

of UL11 to T-cells, leading to reduced induction of tyrosine phosphorylation of multiple signaling

proteins upon T-cell receptor stimulation and impaired T-cell proliferation. [UniProt]


Research Area Developmental Biology antibody; Immune System antibody; Neuroscience antibody; Signaling

Transduction antibody; Mouse Inflammatory Cell Marker antibody; B Cell Marker antibody

Calculated Mw 147 kDa


PTM Heavily N- and O-glycosylated.

Cellular Localization Cell surface and cytoplasmic




ARG55975 anti-CD45RB antibody [PD7/26] IHC-P image

Immunohistochemistry: Human tonsil (10X) stained with ARG55975 anti-CD45RB antibody [PD7/26].



ARG55975 anti-CD45RB antibody [PD7/26] WB image

Western blot: Daudi cell lysate stained with ARG55975 anti-CD45RB antibody [PD7/26]. Predicted molecular weight: $^147/180^220$ kDa (unmodified/glycosylated).



ARG55975 anti-CD45RB antibody [PD7/26] IHC-P image

Immun ohistochemistry: Human tonsil (20X) stained with ARG55975 anti-CD45RB antibody [PD7/26].