

Product datasheet

info@arigobio.com

ARG58757 anti-FRZB antibody

Package: 50 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes FRZB

Tested Reactivity Hu

Predict Reactivity Ms, Rat, Cow, Dog, Gpig, Hrs, Rb, Zfsh

Tested Application IHC-P, WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name FRZB

Species Human

Immunogen Synthetic peptide around the middle region of Human FRZB. (within the following sequence:

VVEVKEILKSSLVNIPRDTVNLYTSSGCLCPPLNVNEEYIIMGYEDEERS)

Conjugation Un-conjugated

Alternate Names FRP-3; Frizzled-related protein 1; FRE; hFIZ; OS1; FrzB-1; FRZB-PEN; FRZB-1; Fritz; Secreted frizzled-

related protein 3; SFRP3; FRZB1; Frezzled; FRITZ; FZRB; SRFP3; sFRP-3

Application Instructions

Predict Reactivity Note Predicted homology based on immunogen sequence: Cow: 93%; Dog: 100%; Guinea Pig: 93%; Horse:

100%; Mouse: 100%; Rabbit: 93%; Rat: 100%; Zebrafish: 92%

Application table Application Dilution

IHC-P Assay-dependent

WB $1 \mu g/ml$

Application Note * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Positive Control DLD1

Properties

Form Liquid

Purification Affinity purified.

Buffer PBS, 0.09% (w/v) Sodium azide and 2% Sucrose.

Preservative 0.09% (w/v) Sodium azide

Stabilizer 2% Sucrose

Concentration Batch dependent: 0.5 - 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol FRZB

Gene Full Name frizzled-related protein

Background The protein encoded by this gene is a secreted protein that is involved in the regulation of bone

development. Defects in this gene are a cause of female-specific osteoarthritis (OA) susceptibility.

[provided by RefSeq, Apr 2010]


Function Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct

interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP3/FRZB appears to be involved in limb skeletogenesis. Antagonist of Wnt8 signaling.

Regulates chondrocyte maturation and long bone development. [UniProt]

Calculated Mw 36 kDa

Images



ARG58757 anti-FRZB antibody WB image

Western blot: DLD1 cell lysate stained with ARG58757 anti-FRZB antibody at 1 μ g/ml dilution.