

# Product datasheet

info@arigobio.com

ARG59105 anti-SFTPB / Prosurfactant Protein B antibody

Package: 50 μg Store at: -20°C

### **Summary**

Product Description Rabbit Polyclonal antibody recognizes SFTPB / Prosurfactant Protein B

Tested Reactivity Hu

Predict Reactivity Ms, Rat
Tested Application WB

Host Rabbit

**Clonality** Polyclonal

Isotype IgG

Target Name SFTPB / Prosurfactant Protein B

Species Human

Immunogen Synthetic peptide corresponding to a sequence of Human SFTPB / Prosurfactant Protein B.

(QCLAERYSVILLDTLLGRMLPQLVCRLVLR).

Conjugation Un-conjugated

Alternate Names SP-B; 18 kDa pulmonary-surfactant protein; SFTP3; Phe; Pulmonary surfactant-associated proteolipid

 ${\sf SPL; PSP-B; Pulmonary surfactant-associated protein B; 6 kDa protein; SMDP1; SFTB3}$ 

## **Application Instructions**

Application table	Application	Dilution
	WB	0.1 - 0.5 μg/ml
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

## **Properties**

Form Liquid

Purification Affinity purified.

Buffer 0.9% NaCl, 0.2% Na2HPO4, 0.05% Sodium azide and 4% Trehalose.

Preservative 0.05% Sodium azide

Stabilizer 4% Trehalose
Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Gene Symbol SFTPB

Gene Full Name surfactant protein B

Background This gene encodes the pulmonary-associated surfactant protein B (SPB), an amphipathic surfactant

protein essential for lung function and homeostasis after birth. Pulmonary surfactant is a surface-active lipoprotein complex composed of 90% lipids and 10% proteins which include plasma proteins and apolipoproteins SPA, SPB, SPC and SPD. The surfactant is secreted by the alveolar cells of the lung and maintains the stability of pulmonary tissue by reducing the surface tension of fluids that coat the lung. The SPB enhances the rate of spreading and increases the stability of surfactant monolayers in vitro. Multiple mutations in this gene have been identified, which cause pulmonary surfactant metabolism dysfunction type 1, also called pulmonary alveolar proteinosis due to surfactant protein B deficiency, and are associated with fatal respiratory distress in the neonatal period. Alternatively spliced transcript

variants encoding the same protein have been identified.[provided by RefSeq, Feb 2010]

Function Pulmonary surfactant-associated proteins promote alveolar stability by lowering the surface tension at


the air-liquid interface in the peripheral air spaces. SP-B increases the collapse pressure of palmitic acid

to nearly 70 millinewtons per meter. [UniProt]

Calculated Mw 42 kDa

Cellular Localization Secreted, extracellular space, surface film. [UniProt]

#### **Images**



#### ARG59105 anti-SFTPB / Prosurfactant Protein B antibody WB image

Western blot:  $50 \mu g$  of samples under reducing conditions. MCF-7, COLO-320 and HepG2 cell lysates stained with ARG59105 anti-SFTPB / Prosurfactant Protein B antibody at 0.5  $\mu g/ml$ , overnight at 4°C.