

ARG63622 anti-PALS / MPP5 antibody

Package: 100 μg Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes PALS / MPP5
Tested Reactivity	Hu
Predict Reactivity	Dog, Pig
Tested Application	IHC-P, WB
Host	Goat
Clonality	Polyclonal
Isotype	lgG
Target Name	PALS / MPP5
Species	Human
Immunogen	NKASPPFPLISNAQ-C
Conjugation	Un-conjugated
Alternate Names	MAGUK p55 subfamily member 5; PALS1

Application Instructions

Application table	Application	Dilution	
	IHC-P	5 μg/ml	
	WB	1 - 3 μg/ml	
Application Note	cation Note WB: Recommend incubate at RT for 1h.		
	IHC-P: Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0).		
	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations		
	should be determined b		


Properties

Form	Liquid
Purification	Purified from goat serum by antigen affinity chromatography.
Buffer	Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	0.5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Bioinformation	
Database links	GeneID: 64398 Human
	Swiss-port # Q8N3R9 Human
Background	This gene encodes a member of the p55-like subfamily of the membrane-associated guanylate kinase (MAGUK) gene superfamily. The encoded protein participates in the polarization of differentiating cells, has been shown to regulate myelinating Schwann cells (PMID: 20237282), and is one of the components of the Crumbs complex in the retina. Mice which express lower levels of the orthologous protein have retinal degeneration and impaired vision (PMID: 22114289). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Feb 2012]
Research Area	Gene Regulation antibody; Neuroscience antibody; Signaling Transduction antibody
Calculated Mw	77 kDa


Images

250kDa 150kDa	ARG63622 anti-PALS / MPP5 antibody WB image
100kDa	Western Blot: Human Brain lysate (35 µg protein in RIPA buffer)
75kDa	stained with ARG63622 anti-PALS / MPP5 antibody at 1 μg/ml dilution.
50kDa	
37kDa	
25kDa	
20kDa	



ARG63622 anti-PALS / MPP5 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human small intestine tissue. Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0). The tissue section was stained with ARG63622 anti-PALS / MPP5 antibody at 5 μ g/ml dilution followed by AP-staining.



ARG63622 anti-PALS / MPP5 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Human kidney tissue. Antigen Retrieval: Steam tissue section in Citrate buffer (pH 6.0). The tissue section was stained with ARG63622 anti-PALS / MPP5 antibody at 5 μ g/ml dilution followed by AP-staining.