

# Product datasheet

info@arigobio.com

# ARG64405 anti-MP100 / NPEPPS antibody

Package: 100 μg Store at: -20°C

## **Summary**

Host

Product Description Goat Polyclonal antibody recognizes MP100 / NPEPPS

Goat

Tested Reactivity Hu

Predict Reactivity Ms, Rat
Tested Application WB

Clonality Polyclonal

Isotype IgG

Target Name MP100 / NPEPPS

Species Human

Immunogen C-KRDAESIHQYLLQRK

Conjugation Un-conjugated

Alternate Names Puromycin-sensitive aminopeptidase; PSA; EC 3.4.11.14; MP100; Cytosol alanyl aminopeptidase; AAP-S

# **Application Instructions**

Application table	Application	Dilution
	WB	0.2 - 0.5 μg/ml
P.P. ST. ST.	WB: Recommend incubate at RT for 1h.  * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

# **Properties**

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed.

freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

# Bioinformation

Database links <u>GeneID: 9520 Human</u>

Swiss-port # P55786 Human

Background This gene encodes the puromycin-sensitive aminopeptidase, a zinc metallopeptidase which hydrolyzes

amino acids from the N-terminus of its substrate. The protein has been localized to both the cytoplasm and to cellular membranes. This enzyme degrades enkaphalins in the brain, and studies in mouse suggest that it is involved in proteolytic events regulating the cell cycle. [provided by RefSeq, Jul 2008]

Research Area Neuroscience antibody

Calculated Mw 103 kDa

#### **Images**



### ARG64405 anti-MP100 / NPEPPS antibody WB image

Western Blot: Human Brain (Cerebral Cortex) lysate (35  $\mu$ g protein in RIPA buffer) stained with ARG64405 anti-MP100 / NPEPPS antibody at 0.3  $\mu$ g/ml dilution.