

Product datasheet

info@arigobio.com

ARG64861 anti-ARL4D antibody

Package: 100 μg Store at: -20°C

Summary

Product Description Goat Polyclonal antibody recognizes ARL4D

Tested Reactivity Hu

Predict Reactivity Ms, Cow, Dog

Tested Application WB

Specificity This antibody is expected not to cross-react to other ARL4 products.

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name ARL4D

Species Human

Immunogen C-KQDQPGALSAAEVEKR

Conjugation Un-conjugated

Alternate Names ARF4L; ADP-ribosylation factor-like protein 4D; ADP-ribosylation factor-like protein 4L; ARL6

Application Instructions

Application table	Application	Dilution
	WB	0.3 - 1 μg/ml
Application Note	WB: Recommend incubate at RT for 1h.	
	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations	

* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

Properties

Form Liquid

Purification Purified from goat serum by antigen affinity chromatography.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA.

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20° C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Bioinformation

Database links <u>GeneID: 379 Human</u>

Swiss-port # P49703 Human

Background ADP-ribosylation factor 4D is a member of the ADP-ribosylation factor family of GTP-binding proteins.

ARL4D is closely similar to ARL4A and ARL4C and each has a nuclear localization signal and an unusually

high guanine nucleotide exchange rate. This protein may play a role in membrane-associated intracellular trafficking. Mutations in this gene have been associated with Bardet-Biedl syndrome (BBS).

[provided by RefSeq, Jul 2008]

Research Area Signaling Transduction antibody

Calculated Mw 22 kDa

Images



ARG64861 anti-ARL4D antibody WB image

Western Blot: Human Lung lysate (35 µg protein in RIPA buffer) stained with ARG64861 anti-ARL4D antibody at 0.5 µg/ml dilution.