

ARG66290 anti-CD66b antibody [6/40c] (APC)

Package: 500 µl
Store at: -20°C

Summary

| | |
|---------------------|---|
| Product Description | APC-conjugated Mouse Monoclonal antibody [6/40c] recognizes CD66b |
| Tested Reactivity | Hu |
| Tested Application | FACS |
| Host | Mouse |
| Clonality | Monoclonal |
| Clone | 6/40c |
| Isotype | IgG1, kappa |
| Target Name | CD66b |
| Species | Human |
| Immunogen | Recombinant Human CD66b. |
| Conjugation | Un-conjugated |
| Alternate Names | CD67; NCA-95; CD67 antigen; CGM6; CD66b; Carcinoembryonic antigen-related cell adhesion molecule 8; Carcinoembryonic antigen CGM6; Non-specific cross-reacting antigen NCA-95; CD antigen CD66b |

Application Instructions

| Application table | Application | Dilution |
|-------------------|-------------|-----------------|
| | FACS | Assay-dependent |

Application Note * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Properties

| | |
|---------------------|--|
| Form | Liquid |
| Purification | Purified |
| Buffer | PBS (pH 7.2), 0.09% Sodium azide and 1% BSA. |
| Preservative | 0.09% Sodium azide |
| Stabilizer | 1% BSA |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note | For laboratory research only, not for drug, diagnostic or other use. |

Bioinformation

| | |
|----------------|---|
| Gene Symbol | CEACAM8 |
| Gene Full Name | carcinoembryonic antigen-related cell adhesion molecule 8 |
| Calculated Mw | 38 kDa |