

Product datasheet

info@arigobio.com

ARG67130 anti-eNOS phospho (Ser1177) antibody

Package: 20 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes eNOS phospho (Ser1177)

Tested Reactivity Hu, Ms, Rat

Tested Application ELISA, ICC/IF, WB

Specificity The antibody detects a ~140 kDa band corresponding to eNOS on SDS-PAGE immunoblots of human

umbilical vein endothelial cells grown normally or treated with calyculin A. This reactivity is not

observed after lambda phosphatase treatment.

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name eNOS

Species Human

Immunogen Synthetic peptide (coupled to carrier protein) around Ser1177 of Human eNOS. This sequence is

conserved in rat and mouse eNOS.

Conjugation Un-conjugated

Alternate Names NOS3; Nitric Oxide Synthase 3; ENOS; ECNOS; Nitric Oxide Synthase 3 (Endothelial Cell); Constitutive

NOS; Endothelial NOS; EC 1.14.13.39; NOS Type III; EC-NOS; NOSIII; CNOS; Nitric Oxide Synthase,

Endothelial; Endothelial Nitric Oxide Synthase

Application Instructions

Application table	Application	Dilution
	ELISA	1:20000
	ICC/IF	1:200 - 1:1000
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

Properties

Form Liquid

Purification Affinity chromatography purified

Buffer PBS, 0.02% Sodium azide, 0.5% BSA and 50% Glycerol

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA, 50% Glycerol

Concentration 1 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol NOS3

Gene Full Name Nitric Oxide Synthase 3

Background Nitric oxide is a reactive free radical which acts as a biologic mediator in several processes, including

neurotransmission and antimicrobial and antitumoral activities. Nitric oxide is synthesized from Larginine by nitric oxide synthases. Variations in this gene are associated with susceptibility to coronary spasm. Alternative splicing and the use of alternative promoters results in multiple transcript variants.

[provided by RefSeq, Oct 2016]

Function NO mediates vascular endothelial growth factor (VEGF)-induced angiogenesis in coronary vessels and

promotes blood clotting through the activation of platelets. [UniProt]

Highlight Related Antibody Duos and Panels:

ARG30247 Phospho eNOS Antibody Duo (Total, pY1177)

Related products:

eNOS antibodies; eNOS ELISA Kits; eNOS Duos / Panels; Anti-Rabbit IgG secondary antibodies;

Research Area Cancer antibody; Cell Biology and Cellular Response antibody; Metabolism antibody; Neuroscience


antibody

Calculated Mw 133 kDa

PTM Lipoprotein, Myristate, Palmitate, Phosphoprotein. [UniProt]


Cell membrane, Cytoplasm, Cytoskeleton, Golgi apparatus, Membrane. [UniProt]

Images




ARG67130 anti-eNOS phospho (Ser1177) antibody ICC/IF image

Immunofluorescence: A549 stained with ARG67130 anti-eNOS phospho (Ser1177) antibody at 1:200 dilution.



ARG67130 anti-eNOS phospho (Ser1177) antibody WB image

Western blot: HuvEc stained with ARG67130 anti-eNOS phospho (Ser1177) antibody at 1:1000 dilution.



ARG67130 anti-eNOS phospho (Ser1177) antibody ICC/IF image

Immunofluorescence: HeLa stained with ARG67130 anti-eNOS phospho (Ser1177) antibody at 1:200 dilution.