

ARG70419
Pig EGF recombinant protein (His-tagged, C-ter)Package: 100 µg, 20 µg
Store at: -20°C

Summary

Product Description	E. coli expressed, His-tagged (C-ter) Pig EGF recombinant protein
Tested Reactivity	Pig
Tested Application	SDS-PAGE
Target Name	EGF
Species	Pig
A.A. Sequence	Asn970 - Arg1022
Expression System	E. coli
Alternate Names	EGF; Epidermal Growth Factor; Pro-Epidermal Growth Factor; Epidermal Growth Factor (Beta-Urogastrone); Beta-Urogastrone; HOMG4; URG

Properties

Form	Powder
Purification Note	Endotoxin level is 95% (by SDS-PAGE)
Buffer	PBS (pH 8.0)
Reconstitution	It is recommended to reconstitute the lyophilized protein in sterile water to a concentration not less than 200 µg/mL and incubate the stock solution for at least 20 min at room temperature to make sure the protein is dissolved completely.
Storage instruction	For long term, lyophilized protein should be stored at -20°C or -80°C. After reconstitution, aliquot and store at -20°C or -80°C for up to one month. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	EGF
Gene Full Name	Epidermal Growth Factor
Background	This gene encodes a member of the epidermal growth factor superfamily. The encoded preproprotein is proteolytically processed to generate the 53-amino acid epidermal growth factor peptide. This protein acts a potent mitogenic factor that plays an important role in the growth, proliferation and differentiation of numerous cell types. This protein acts by binding with high affinity to the cell surface receptor, epidermal growth factor receptor. Defects in this gene are the cause of hypomagnesemia type 4. Dysregulation of this gene has been associated with the growth and progression of certain cancers. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed. [provided by RefSeq, Jan 2016]
Function	EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of EGFR and activation of the magnesium channel TRPM6. Can induce neurite outgrowth in motoneurons of the pond snail <i>Lymnaea stagnalis</i> in vitro


PTM

Disulfide bond, Glycoprotein

Cellular Localization

Membrane

Images



ARG70419 Pig EGF recombinant protein (His-tagged, C-ter) SDS-PAGE image

SDS-PAGE analysis of ARG70419 Pig EGF recombinant protein (His-tagged, C-ter)
