

Product datasheet

info@arigobio.com

ARG80162 Human IL17 / IL17A (High sensitive) ELISA kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG80162-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG80162-002	Standard (Lyophilized)	3 X 2 ng/vial	4°C
ARG80162-003	Standard diluent buffer	20 ml	4°C
ARG80162-004	Antibody conjugate concentrate	400 μΙ	4°C
ARG80162-005	Antibody diluent buffer	16 ml	4°C
ARG80162-006	HRP-Streptavidin concentrate	400 μΙ	4°C (Protect from light)
ARG80162-007	HRP-Streptavidin diluent buffer	16 ml	4°C
ARG80162-008	20X Wash buffer	50 ml	4°C
ARG80162-009	TMB substrate	12ml	4°C (Protect from light)
ARG80162-010	STOP solution	12ml	4°C
ARG80162-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG80162 Human IL17 / IL17A (High sensitive) ELISA Kit is a high sensitive Enzyme Immunoassay kit the quantification of Human IL17 in serum, plasma and cell culture supernatants.		
Tested Reactivity	Hu		
Tested Application	ELISA		
Specificity	No significant cross-reactivity or interference with Human IFN- gamma, IL-17B, IL-10, IL-17C, IL-12, IL-17D, IL-16, IL-17F2mouse IL-17		
Target Name	IL17 / IL17A		
Conjugation	HRP		
Conjugation Note	Substrate: TMB and read at 450 nm		
Sensitivity	3.13 pg/ml		
Sample Type	Serum, plasma and cell culture supernatants.		
Standard Range	6.25 - 400 pg/ml		

Sample Volume 100 µl

Precision CV: less than 10%

Alternate Names IL-17A; Interleukin-17A; IL-17; CTLA8; IL17; CTLA8; Cytotoxic T-lymphocyte-associated antigen 8

Application Instructions

Assay Time 4 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 3605 Human

Swiss-port # Q16552 Human

Gene Symbol IL17A

Gene Full Name interleukin 17A

Background The originally described IL-17 protein, now known as IL-17A, is a disulfide linked homodimer, secreted

by activated T-cells that act on stromal cells to induce production of proinflammatory and

hematopoietic bioactive molecules. Today, IL-17 represents a family of structurally-related cytokines that share a highly conserved C-terminal region but differ from one another in their N-terminal regions and in their distinct biological roles. The six known members of this family, IL-17A through IL-17F, are secreted as homodimers. IL-17A exhibits cross-species bioactivity between human and murine cells. Recombinant murine IL-17A is a 30.0 kDa disulfide-linked homodimer of two 133 amino acid

polypeptide chains.

Highlight Related products:

<u>IL17 antibodies; IL17 ELISA Kits; IL17 recombinant proteins;</u>


Related news:

HMGB1, a biomarker and therapeutic target in COVID-19

New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Research Area Immune System kit

PTM Found both in glycosylated and nonglycosylated forms.



ARG80162 Human IL17 / IL17A (High sensitive) ELISA kit standard curve image

ARG80162 Human IL17 / IL17A (High sensitive) ELISA kit results of a typical standard run with optical density reading at 450 nm.