

## ARG81527 Human sCD6 ELISA Kit

Package: 96 wells  
Store at: 4°C

### Component

Cat. No.	Component Name	Package	Temp
ARG81527-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81527-002	Standard	2 X 10 ng/vial	4°C
ARG81527-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81527-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG81527-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81527-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG81527-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81527-008	25X Wash buffer	20 ml	4°C
ARG81527-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81527-010	STOP solution	10 ml (Ready to use)	4°C
ARG81527-011	Plate sealer	4 strips	Room temperature

### Summary

Product Description	ARG81527 Human sCD6 ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human sCD6 in serum, plasma (heparin, EDTA) and cell culture supernatants.
Tested Reactivity	Hu
Tested Application	ELISA
Specificity	There is no detectable cross-reactivity with other relevant proteins.
Target Name	sCD6
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	78 pg/ml
Sample Type	Serum, plasma (heparin, EDTA) and cell culture supernatants.
Standard Range	156 - 10000 pg/ml
Sample Volume	100 µl

Precision	Intra-Assay CV: 6.2% Inter-Assay CV: 6.7%
Alternate Names	CD antigen CD6; TP120; T-cell differentiation antigen CD6; T12

## Application Instructions


Assay Time	~ 5 hours
------------	-----------

## Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

Gene Symbol	CD6
Gene Full Name	CD6 molecule
Background	This gene encodes a protein found on the outer membrane of T-lymphocytes as well as some other immune cells. The encoded protein contains three scavenger receptor cysteine-rich (SRCR) domains and a binding site for an activated leukocyte cell adhesion molecule. The gene product is important for continuation of T cell activation. This gene may be associated with susceptibility to multiple sclerosis (PMID: 19525953, 21849685). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2011]
Function	Involved in cell adhesion. Binds to CD166. [UniProt]
Highlight	Related products: <a href="#">CD6 antibodies</a> ; <a href="#">CD6 ELISA Kits</a> ; <a href="#">CD6 Duos / Panels</a> ; New ELISA data calculation tool: <a href="#">Simplify the ELISA analysis by GainData</a>
PTM	After T-cell activation, becomes hyperphosphorylated on Ser and Thr residues and phosphorylated on Tyr residues.  Glycosylated. [UniProt]



ARG81527 Human sCD6 ELISA Kit standard curve image

ARG81527 Human sCD6 ELISA Kit results of a typical standard run with optical density reading at 450 nm.