

ARG81537 Human Lumican ELISA Kit

Package: 96 wells
Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81537-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81537-002	Standard	2 X 10 ng/vial	4°C
ARG81537-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81537-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG81537-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81537-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG81537-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81537-008	25X Wash buffer	20 ml	4°C
ARG81537-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81537-010	STOP solution	10 ml (Ready to use)	4°C
ARG81537-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81537 Human Lumican ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human Lumican in serum, plasma (heparin) and cell culture supernatants.
Tested Reactivity	Hu
Tested Application	ELISA
Specificity	There is no detectable cross-reactivity with other relevant proteins.
Target Name	Lumican
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	78 pg/ml
Sample Type	Serum, plasma (heparin) and cell culture supernatants.
Standard Range	156 - 10000 pg/ml
Sample Volume	100 µl

Precision	Intra-Assay CV: 6.6% Inter-Assay CV: 7.5%
Alternate Names	LDC; Keratan sulfate proteoglycan lumican; Lumican; SLRR2D; KSPG lumican

Application Instructions

Assay Time	~ 5 hours
------------	-----------

Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	LUM
Gene Full Name	lumican
Background	This gene encodes a member of the small leucine-rich proteoglycan (SLRP) family that includes decorin, biglycan, fibromodulin, keratocan, epiphycan, and osteoglycin. In these bifunctional molecules, the protein moiety binds collagen fibrils and the highly charged hydrophilic glycosaminoglycans regulate interfibrillar spacings. Lumican is the major keratan sulfate proteoglycan of the cornea but is also distributed in interstitial collagenous matrices throughout the body. Lumican may regulate collagen fibril organization and circumferential growth, corneal transparency, and epithelial cell migration and tissue repair. [provided by RefSeq, Jul 2008]
Highlight	Related products: Lumican antibodies ; Lumican ELISA Kits ; New ELISA data calculation tool: Simplify the ELISA analysis by GainData
PTM	Sulfated on tyrosine residue(s). [UniProt]

Images

