

Product datasheet

info@arigobio.com

ARG81679 Mouse ACE ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81679-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81679-002	Standard	2 X 10 ng/vial	4°C
ARG81679-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81679-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81679-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81679-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81679-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81679-008	25X Wash buffer	20 ml	4°C
ARG81679-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81679-010	STOP solution	10 ml (Ready to use)	4°C
ARG81679-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG816/9 Mouse ACE ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse ACE in

serum, plasma (heparin) and cell culture supernatants.

Tested Reactivity Ms

Tested Application ELISA

Specificity There is no detectable cross-reactivity with other relevant proteins.

Target Name ACE

Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 46.9 pg/ml

Sample Type Serum, plasma (heparin) and cell culture supernatants.

Standard Range 93.8 - 6000 pg/ml

Sample Volume $100 \ \mu l$

Precision Intra-Assay CV: 5.9%; Inter-Assay CV: 6.6%

Alternate Names DCP1; ICH; ACE; EC 3.2.1.-; MVCD3; Angiotensin-converting enzyme; Dipeptidyl carboxypeptidase I;

CD143; CD antigen CD143; EC 3.4.15.1; Kininase II; ACE1; DCP

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol ACE

Gene Full Name angiotensin I converting enzyme

Background This gene encodes an enzyme involved in catalyzing the conversion of angiotensin I into a

physiologically active peptide angiotensin II. Angiotensin II is a potent vasopressor and aldosteronestimulating peptide that controls blood pressure and fluid-electrolyte balance. This enzyme plays a key role in the renin-angiotensin system. Many studies have associated the presence or absence of a 287 bp

Alu repeat element in this gene with the levels of circulating enzyme or cardiovascular

pathophysiologies. Multiple alternatively spliced transcript variants encoding different isoforms have been identified, and two most abundant spliced variants encode the somatic form and the testicular

form, respectively, that are equally active. [provided by RefSeq, May 2010]

Function Converts angiotensin I to angiotensin II by release of the terminal His-Leu, this results in an increase of

the vasoconstrictor activity of angiotensin. Also able to inactivate bradykinin, a potent vasodilator. Has also a glycosidase activity which releases GPI-anchored proteins from the membrane by cleaving the


mannose linkage in the GPI moiety. [UniProt]

Highlight Related products:

ACE antibodies; ACE ELISA Kits; ACE Duos / Panels; ACE recombinant proteins;

New ELISA data calculation tool: Simplify the ELISA analysis by GainData

PTM Phosphorylated by CK2 on Ser-1299; which allows membrane retention. [UniProt]



ARG81679 Mouse ACE ELISA Kit standard curve image

ARG81679 Mouse ACE ELISA Kit results of a typical standard run with optical density reading at 450 nm.