

## ARG82548 Mouse Nogo 66 Receptor ELISA Kit

Package: 96 wells  
Store at: 4°C

### Component

Cat. No.	Component Name	Package	Temp
ARG82548-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82548-002	Standard	2 X 10 ng/vial	4°C
ARG82548-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82548-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG82548-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82548-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG82548-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82548-008	25X Wash buffer	20 ml	4°C
ARG82548-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82548-010	STOP solution	10 ml (Ready to use)	4°C
ARG82548-011	Plate sealer	4 strips	Room temperature

### Summary

Product Description	ARG82548 Mouse Nogo 66 Receptor ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse Nogo 66 Receptor in serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.
Tested Reactivity	Ms
Tested Application	ELISA
Target Name	Nogo 66 Receptor
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	78 pg/ml
Sample Type	Serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.
Standard Range	156 - 10000 pg/ml
Sample Volume	100 µl
Precision	Intra-Assay CV: 5.3% Inter-Assay CV: 6.3%

Alternate Names	Nogo-66 receptor; NGR; Reticulon-4 receptor; Nogo receptor; NOGOR; NgR
-----------------	--

## Application Instructions


Assay Time	~ 5 hours
------------	-----------

## Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

Gene Symbol	RTN4R
Gene Full Name	reticulon 4 receptor
Background	This gene encodes the receptor for reticulon 4, oligodendrocyte myelin glycoprotein and myelin-associated glycoprotein. This receptor mediates axonal growth inhibition and may play a role in regulating axonal regeneration and plasticity in the adult central nervous system. [provided by RefSeq, Jul 2008]
Function	Receptor for RTN4, OMG and MAG. Mediates axonal growth inhibition and may play a role in regulating axonal regeneration and plasticity in the adult central nervous system. Acts in conjunction with RTN4 and LIGO1 in regulating neuronal precursor cell motility during cortical development (By similarity). [UniProt]
Highlight	Related products: <a href="#">Nogo 66 Receptor antibodies</a> ; <a href="#">Nogo 66 Receptor ELISA Kits</a> ; New ELISA data calculation tool: <a href="#">Simplify the ELISA analysis by GainData</a>
PTM	N-glycosylated. O-glycosylated. Contains terminal sialic acid groups on its glycan chains. [UniProt]
Cellular Localization	Cell membrane; Lipid-anchor, GPI-anchor. Membrane raft. Cell projection, dendrite. Cell projection, axon. Perikaryon. Note=Detected along dendrites and axons, close to synapses, but clearly excluded from synapses. [UniProt]



ARG82548 Mouse Nogo 66 Receptor ELISA Kit standard curve image

ARG82548 Mouse Nogo 66 Receptor ELISA Kit results of a typical standard run with optical density reading at 450 nm.