

Product datasheet

info@arigobio.com

ARG82558 Human FGFRL1 ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG82558-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82558-002	Standard	2 X 10 ng/vial	4°C
ARG82558-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82558-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG82558-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82558-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG82558-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82558-008	25X Wash buffer	20 ml	4°C
ARG82558-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82558-010	STOP solution	10 ml (Ready to use)	4°C
ARG82558-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG82558 Human FGFRL1 ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human FGFRL1 in serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.			
Tested Reactivity	Hu			
Tested Application	ELISA			
Target Name	FGFRL1			
Conjugation	HRP			
Conjugation Note	Substrate: TMB and read at 450 nm.			
Sensitivity	10 pg/ml			
Sample Type	Serum, plasma (EDTA, heparin, citrate) and cell culture supernatants.			
Standard Range	ndard Range 15.6 - 1000 pg/ml			
Sample Volume	100 μΙ			
Precision	Intra-Assay CV: 4.6% Inter-Assay CV: 5.6%			

Application Instructions

Assay Time

~ 5 hours

Properties

Form

96 well

Storage instruction

Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol

FGFRL1

Gene Full Name

fibroblast growth factor receptor-like 1

Background

The protein encoded by this gene is a member of the fibroblast growth factor receptor (FGFR) family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. A marked difference between this gene product and the other family members is its lack of a cytoplasmic tyrosine kinase domain. The result is a transmembrane receptor that could interact with other family members and potentially inhibit signaling. Multiple alternatively spliced transcript variants encoding the same isoform have been found for this gene. [provided by RefSeq, Jul 2008]

Function

Has a negative effect on cell proliferation. [UniProt]

Highlight

Related products:


New ELISA data calculation tool: Simplify the ELISA analysis by GainData

Cellular Localization

Membrane; Single-pass type I membrane protein. Note=Predominantly localized in the plasma membrane but also detected in the Golgi and in secretory vesicles. [UniProt]

2/3

www.arigobio.com arigo.nuts about antibodies



ARG82558 Human FGFRL1 ELISA Kit standard curve image

ARG82558 Human FGFRL1 ELISA Kit results of a typical standard run with optical density reading at 450 nm.