

Product datasheet

info@arigobio.com

ARG83355 Mouse/Rat PDGF BB ELISA Kit

Package: 96 wells Store at: 4°C, -20°C

Component

Cat. No.	Component Name	Package	Temp
ARG83355-01	Antibody Coated Microplate	8 X 12 strips	4°C
ARG83355-02	Standard	3 vials	4°C
ARG83355-03	100X Antibody Conjugate	120 μΙ	≤ -20°C
ARG83355-04	40X Streptavidin-HRP concentrate	300 μΙ	4°C
ARG83355-05	Standard/Sample Diluent buffer	20 ml	4°C
ARG83355-06	Antibody Diluent buffer	30 ml	4°C
ARG83355-07	20X Wash Buffer	45 ml	4°C
ARG83355-08	TMB substrate	12 ml	4°C (protect from light)
ARG83355-09	STOP solution	12 ml	4°C
ARG83355-10	Plate sealer	3 adhesive strips	Room temperature

Summary

Summary				
Product Description	ARG83355 Mouse/Rat PDGF BB ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse/Rat PDGF BB in serum, plasma or cell culture supernatants. Ms, Rat			
Tested Reactivity				
Tested Application	ELISA			
Specificity	No significant cross-reactivity or interference with Human PDGF R alpha			
Target Name	PDGF BB			
Conjugation	HRP			
Conjugation Note	Substrate: TMB and read at 450 nm			
Sensitivity	15.6 pg/ml			
Sample Type	Serum, plasma or cell culture supernatants.			
Standard Range	31.25 - 2000 pg/ml			
Sample Volume	50 μΙ			
Precision	CV: less than10%			
Alternate Names	SIS; Becaplermin; Platelet-derived growth factor subunit B; IBGC5; PDGF subunit B; c-sis; SSV; PDGF-2 Proto-oncogene c-Sis; Platelet-derived growth factor beta polypeptide; PDGF2; Platelet-derived grow factor B chain			

Application Instructions

Assay Time

4 hours

Properties

Form

96 well

Storage instruction

Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol

PDGFB

Gene Full Name

platelet-derived growth factor beta polypeptide

Background

The protein encoded by this gene is a member of the platelet-derived growth factor family. The four members of this family are mitogenic factors for cells of mesenchymal origin and are characterized by a motif of eight cysteines. This gene product can exist either as a homodimer (PDGF-BB) or as a heterodimer with the platelet-derived growth factor alpha polypeptide (PDGF-AB), where the dimers are connected by disulfide bonds. Mutations in this gene are associated with meningioma. Reciprocal translocations between chromosomes 22 and 17, at sites where this gene and that for collagen type 1, alpha 1 are located, are associated with a particular type of skin tumor called dermatofibrosarcoma protuberans resulting from unregulated expression of growth factor. Two alternatively spliced transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq,

Feb 2013]

Function

Growth factor that plays an essential role in the regulation of embryonic development, cell proliferation, cell migration, survival and chemotaxis. Potent mitogen for cells of mesenchymal origin. Required for normal proliferation and recruitment of pericytes and vascular smooth muscle cells in the central nervous system, skin, lung, heart and placenta. Required for normal blood vessel development, and for normal development of kidney glomeruli. Plays an important role in wound healing. Signaling is modulated by the formation of heterodimers with PDGFA (By similarity). [UniProt]


Highlight

Related products:

PDGF BB antibodies; PDGF BB ELISA Kits;

Related news:

The role of HDGF in tumor angiogenesis New ELISA data calculation tool: Simplify the ELISA analysis by GainData



ARG83355 Mouse/Rat PDGF BB ELISA Kit standard curve image

ARG83355 Mouse/Rat PDGF BB ELISA Kit results of a typical standard run with optical density reading at $450~\rm nm$.